non-cia	9 SECRET	GROUP 1  Characteristics and control of the control	REPRODUCTION PRO	TIBIT
	PERSON/UNIT NOTIFIED	2	6 7	
YO KOTA AB		UNIT 4	8	BY
NONE	ADVANCE COPY  I SSUCO SLOTTED	V Tuese SDO		
FILE, RF, OCIJOKT	2, OCILCAS, ONE	ORR 2 OSF	Vicas, Fi	<u> </u>
FED; NE				
A364EUA543				
PP RUEPIA			- V. (15) A. (	yet e
DE RUAUAR 152A 209	Ø82Ø	USAF RE COMPLE		
ZNY SSSSS		23642		
P 280710Z			W	*
	HSQ YOKOTA AB JAPAF			
TO RUEKDA/DIE			2-570	
RUEKDA/JCS JRC				. •
RUEAHQ/USAF				
RUEPDA/ACSI DA WAS	H DC			
RUECW/M OE				 : ــــ
RUEPIA/CIA WASH DO			Aleman (1996) Aleman (1996)	声    22
RUEPCR/DIRNSA WAS			And the same of th	₩
RUEHC/ATE RCI WAS	ı DC			~
RUEPJU/NPIC WASH I	00			572
RUEKDA/DIA PROD CI	R ARLINGTON VA			<b>25</b> 5
RUCDSQ/FTD WPAFB	OIHC			•
RUCJHK/CINCSTRIKE	가 하다는 경기가 하는 경찰 보고를 가입하다 하다 하다			
RUEADX/CINCTAC				
RUCSC/CINCSAC			and the state of t	

Approved For Release 2003/09/32 CRERDP66B00597R000400040070-1

RUCSC/544ARIWG OFFUTT AFB NEBR

RUCDBG/ACIC ST LOUIS MO

RUKDAG/AAC ELMENDORF AFB ALASKA

RUHL HQ/CINCPAC

RUHLKM/CINCPACAF

RUHL HL/CINCPACELT

RUHPD/FICPAC PEARL HARBOR HAWAII

RUHLKM/DET 1 67RTS HICKAX AFB HAWAII

RUABBS/ RBWZR LOKINAWA

RUAGUQ/13 ATF P TAINAN TAIWAF

RUMFCR/C OMSEVENFLT

RUAUAZ/5AF FUCHU AS JAPAN

RUAUAZ/PACOM ELINT CENTER FUCHU AS JAPAN

RUAPAD/500 INTC GP CAXP DRAKE JAPAF

RUAUNJ/COMNAVFORJAP YOKUSKA JAPAN

RUMSMA/COMUSMACV VIETNAX

RUMSBJ/2ADIV TAN SON NHUT AB VIETNAM

RUMRDA/3ADIV ANDERSON AB GUAX MI

UMFCR/CTF 77

BT

25X1 SECRET

25X6

67 OP-PI-C C-00574.

FOR DIA (DIEXX), (DIAAQ): USAF (AFCIN): ACSI DA (FSTCT: 5AF (5FIDC); PACOM ELINT CENTER (PDE): CTF 77 CTE/TIG COMMANDERS ON BOARD CVA'S).

CONTINUING REVIEW REPORT OF MISSION C355C, DATE OF INFORMATION

2 PXLKOV THIS IS THE FINAL SECTION OF THIS REPORT.

28 VALLATION

We 63550

	SECKEI IN & SO 7 & PAGE 5
	NUMBERS NOT FOLLOWED BY AF -A- (ALPHA) ARE LOCALLY GENERATED AFD
	ARE IN NO WAY RELATED TO THE BOMBING ENCYCLOPEDIA. INTERPRETABILITY
	FOR EACH ITEM IS SHOWN AS XCEL, GOOD, FAIR, OR POOR, IZSEIS
	FOLLOWED BY THE PERCENTAGE OF CLOUD COVER OVER THE INSTALLATION.
	:: G:: MILITARY
	PAGE 2 RUAUAR 152A S E C R E T NOFORN
	NING MING HWY BR N OV MING CHIANG 220918N1070333E
25X	CH UTM YK120513 FAIR 00PCT
25X1	FOR BEST FRAME. DECK, CONCRETE AND WOOD, 470 FT X 2
	LAFE, NR OF SPANS UNK. LOCATED 1.4 NM NNW OF NING MING. AIF
	CHANGED BE NR SINCE UPI 3704, WHICH REPORTED 24 SPANS. REF 67RTS
1. 1.2. 1.	UPIR 16037.
	OB-NA.V
150   150   150	HAI KOU BKS SW 19591ØN11Ø1825E
25X1/	
ř	
25X1	FOR BEST FRAME.
7	HREE AREAS-(1) 3 LARGE BKS/STOR BLDGS,
7. V.s.	4 MED BKS, 4 MED STOR BLDGS, MULTI-STORY ADMIN BLDG, APRX 5 SPT
	BLDGS. (2) ADJ AREA CONTAINS APRX 20 MED BKS. (3) AREA APRX 1800
	FT WEST CONTAINS 7 BKS (3 MED, 4 SMALL), 3 MED BKS/STOR BLDGS,
	ADMIN BLDG, APRX 10 SPT BLDGS. ALL AREAS SERVED BY SECD ROAD. TGT
	AREA APRX 3600 X 1500 FT. LOCETED APRX 3 T Z SW OF HAI KOU AFLD
25X1	A REF 67RTS UPIR 16031.
	OB-NONE.

SHU CHANG BKS E		200050N1101720E
PAGE 3 RUAUAR 15	2A S E C R E T	
	CH UTM DN2571	31 FAIR ØØPCT
FOR BEST	FRAXE. GS BERYK A	PRX 14 MED BKS, 7 STOR BLDG
		SPT BLDGS. SERVED BY SECD
ROAD.		얼마 제작물이 하고 있다고 되는 다
WUCDZREA APRX 1500 X		EAST EDGE OF SHU
CHANG. REF 67RTS UF	4K 16032.	
HAI KTU BKS WSW	<u> </u>	200028N1101840E
	CH UTM DN27912	24 FAIR ØØPCT
1		
F OR BEST	FRAXE. APRX 19 MED	BKS, 5 LARGE PROB BKS (2
UC), 7 MED STOR BLD	GS, APRX 10 STOR/SPI	BLDGS. SERVED BY SECD
ROAD. TGT AREA APR	X 1700 X 800 FT. LO	DCATED APRX 2 NM WSW OF HAI
KOU AFLD (BE Ø615ØØ	3413). REF 67RTS L	IPIR 16033.
OB-NONE.		
CHUNG SHAN BKS WNW	2	00052N1101812E
<u> </u>		2 FAIR ØØPCT
FOR BEST	FRAXE. DISPERSED A	REA CONTAINPNTTONG AP
	한 당성한 이후 보이는 설치	
		, 6 STOR BLDGS (2 MED, 4
P GE 4 HX GV UAR 15		
(TALL), APRX 12 SPT B	LDGS. SERVED BY SECT	D ROAD. TGT AREA APRX 1900
FT SQ.		

Approved For Release 2003/09/30: CIA-RDP66B00597R000400040070-1

OB-NONE.  PING TAN HSU MIL AREA  CH UTM YX818267  GOOD ØØPCT  CH UTM YX818267  GOOD ØØPCT  CH UTM YX818267  GOOD ØØPCT  OR BEST FRAME. SIX MED BKS, 8 STOR BLDGS (4 LARGE, KUMED),ZADWIN BLDG, 8 SMALL STOR/SPT BLDGS. SERVED BY SECD ROAD.  TGT AREA 720  G 550 FT. LOCATED 3.2 NM SW OF PING TAN HSII. REF 67  RTS UPIR 16035.  OB-NONE.  NING MING HWY BR SE OV MING CHIANG R 220758N1070412E  CH UTM YX129487  GOOD ØØPCT  FOR BEST FRAME. DECK, CONCRETE AND WOOD, NR SPANS UNK, APRX 900 FT X 2 LANES. LOCATED ON EAST EDGE OF NING MING. REF  67RTS UPIR 16036.  OB- TNE.  NING MING RR BRIDGE OVER MING CHIAFG 220901N1070233E  PAGE 5RUAUAR 152A S E C R E T  CH UTM YK103507  GOOD ØØPCT  FOR BEST FRAME. DECK, CONCRETE/STEEL, 7 SPAN, 640 FT X  SINGLE TRACK. LOCATED 1.5 NM NW OF NING MING. REF 67RTS UPIR		МЕ66AGB For Release 2003/SECRETA-RDP66 BO	
PING TAN HSU MIL AREA  CH UTM YK818267 GOOD ØØPCT  CH UTM YK818267 GOOD ØØPCT  OR BEST FRAME. SIX MED BKS, 8 STOR BLDGS (4 LARGE, KUMED),ZADMIN BLDG, 8 SMALL STOR/SPT BLDGS. SERVED BY SECD ROAD.  TGT AREA 720 G.550 FT. LOCATED 3.2 NM SW OF PING TAN HSII. REF 67  RTS UPIR 16035.  OB-NONE.  NING MING HWY BR SE OV MING CHIANG R 220758N1070412E  CH UTM YK129487 GOOD ØØPCT  FOR BEST FRAME. DECK, CONCRETE AND WOOD, NR SPANS UNK, APRX 900 FT X 2 LANES. LOCATED ON EAST EDGE OF NING MING. REF 67RTS UPIR 16036.  OB-TINE.  NING MING RR BRIDGE OVER MING CHIAFG 220901N1070233E  PAGE 5RUAUAR 152A S E C R E T  CH UTM YK103507 GOOD Ø0PCT	60.	$4_{ullet}$	
CH UTM YK818267 GOOD ØØPCT  OR BEST FRAME. SIX MED BKS, 8 STOR BLDGS (4 LARGE, KUWED),ZADWIN BLDG, 8 SMALL STOR/SPT BLDGS. SERVED BY SECD ROAD.  TGT AREA 72Ø G.55Ø FT. LOCATED 3.2 NM SW OF PING TAN HSII. REF 67  RTS UPIR 16Ø35.  OB-NONE.  NING MING HWY BR SE OV MING CHIANG R 22Ø758N1Ø7Ø412E  CH UTM YK129487 GOOD ØØPCT  FOR BEST FRAME. DECK, CONCRETE AND WOOD, NR SPANS UNK, APRX 9ØØ FT X 2 LANES. LOCATED ON EAST EDGE OF NING MING. REF 67RTS UPIR 16Ø36.  OB-TNE.  NING MING RR BRIDGE OVER MING CHIAFG 22Ø9Ø1N1Ø7Ø233E  PAGE SRUAUAR 152A S E C R E T	0B-1	ONE.	
OR BEST FRAME. SIX MED BKS, 8 STOR BLDGS (4 LARGE, KUMED), ZADMIN BLDG, 8 SMALL STOR/SPT BLDGS. SERVED BY SECD ROAD.  TGT AREA 720 G.550 FT. LOCATED 3.2 NM SW OF PING TAN HSII. REF 67  RTS UPIR 16035.  OB-NONE.  NING MING HWY BR SE OV MING CHIANG R 220758N1070412E  CH UTM YK129487 GOOD 000 PCT  FOR BEST FRAME. DECK, CONCRETE AND WOOD, NR SPANS UNK, APRX 900 FT X 2 LANES. LOCATED ON EAST EDGE OF NING MING. REF 67RTS UPIR 16036.  OB-TNE.  NING MING RR BRIDGE OVER MING CHIAFG 220901N1070233E  PAGE SRUAUAR 152A S E C R E T CH UTM YK103507 GOOD 000 PCT  FOR BEST FRAME. DECK, CONCRETE/STEEL, 7 SPAN, 640 FT X	PIN	E TAN HSU MIL AREA 215515N1074315E	
TGT AREA 720 G.550 FT. LOCATED 3.2 NM SW OF PING TAN HSII. REF 67 RTS UPIR 16035.  OB-NONE.  NING MING HWY BR SE OV MING CHIANG R 220758N1070412E  CH UTM YK129487 GOOD 00PCT  FOR BEST FRAME. DECK, CONCRETE AND WOOD, NR SPANS UNK,  APRX 900 FT X 2 LANES. LOCATED ON EAST EDGE OF NING MING. REF 67RTS UPIR 16036.  OB- TNE.  NING MING RR BRIDGE OVER MING CHIAFG 220901N1070233E  PAGE 5RUAUAR 152A S E C R E T  CH UTM YK103507 GOOD 00PCT  FOR BEST FRAME. DECK, CONCRETE/STEEL, 7 SPAN, 640 FT X		CH UTM YK818267 GOOD ØØPCT	
TGT AREA 720 G.550 FT. LOCATED 3.2 NM SW OF PING TAN HSII. REF 67 RTS UPIR 16035.  OB-NONE.  NING MING HWY BR SE OW MING CHIANG R 220758N1070412E  CH UTM YK129487 GOOD 00PCT  FOR BEST FRAME. DECK, CONCRETE AND WOOD, NR SPANS UNK,  APRX 900 FT X 2 LANES. LOCATED ON EAST EDGE OF NING MING. REF  67RTS UPIR 16036.  OB- TNE.  NING MING RR BRIDGE OVER MING CHIAFG 220901N1070233E  PAGE 5RUAUAR 152A S E C R E T  CH UTM YK103507 GOOD 00PCT  FOR BEST FRAME. DECK, CONCRETE/STEEL, 7 SPAN, 640 FT X			
G.550 FT. LOCATED 3.2 NM SW OF PING TAN HSII. REF 67  RTS UPIR 16035.  OB-NONE.  NING MING HWY BR SE OW MING CHIANG R 220758N1070412E  CH UTM YK129487 GOOD 00PCT  FOR BEST FRAME. DECK, CONCRETE AND WOOD, NR SPANS UNK,  APRX 900 FT X 2 LANES. LOCATED ON EAST EDGE OF NING MING. REF  67RTS UPIR 16036.  OB- TNE.  NING MING RR BRIDGE OVER MING CHIAFG 220901N1070233E  PAGE 5RUAUAR 152A S E C R E T  CH UTM YK103507 GOOD 00PCT  FOR BEST FRAME. DECK, CONCRETE/STEEL, 7 SPAN, 640 FT X	KON	OR BEST FRAME. SIX MED BKS, 8 STOR BLDGS (4 LARGE, ED), ZADMIN BLDG, 8 SMALL STOR/SPT BLDGS. SERVED BY SECD ROAD.	
RTS UPIR 16035.  OB-NONE.  NING MING HWY BR SE OW MING CHIANG R 220758N1070412E  CH UTM YK129487 GOOD 00PCT  FOR BEST FRAME. DECK, CONCRETE AND WOOD, NR SPANS UNK,  APRX 900 FT X 2 LANES. LOCATED ON EAST EDGE OF NING MING. REF  67RTS UPIR 16036.  OB- TNE.  NING MING RR BRIDGE OVER MING CHIAFG 220901N1070233E  PAGE 5RUAUAR 152A S E C R E T  CH UTM YK103507 GOOD 00PCT  FOR BEST FRAME. DECK, CONCRETE/STEEL, 7 SPAN, 640 FT X			
OB-NONE.  NING MING HWY BR SE OV MING CHIANG R 220758N1070412E  CH UTM YK129487 GOOD 00PCT  FOR BEST FRAME. DECK, CONCRETE AND WOOD, NR SPANS UNK,  APRX 900 FT X 2 LANES. LOCATED ON EAST EDGE OF NING MING. REF  67RTS UPIR 16036.  OB- TNE.  NING MING RR BRIDGE OVER MING CHIAFG 220901N1070233E  PAGE 5RUAUAR 152A S E C R E T  CH UTM YK103507 GOOD 00PCT  FOR BEST FRAME. DECK, CONCRETE/STEEL, 7 SPAN, 640 FT X	•		
NING MING HWY BR SE OV MING CHIANG R 220758N1070412E  CH UTM YK129487 GOOD Ø0PCT  FOR BEST FRAME. DECK, CONCRETE AND WOOD, NR SPANS UNK,  APRX 900 FT X 2 LANES. LOCATED ON EAST EDGE OF NING MING. REF  67RTS UPIR 16036.  OB- TNE.  NING MING RR BRIDGE OVER MING CHIAFG 220901N1070233E  PAGE 5RUAUAR 152A S E C R E T  CH UTM YK103507 GOOD 00PCT  FOR BEST FRAME. DECK, CONCRETE/STEEL, 7 SPAN, 640 FT X			
CH UTM YK129487 GOOD ØØPCT  FOR BEST FRAME. DECK, CONCRETE AND WOOD, NR SPANS UNK,  APRX 900 FT X 2 LANES. LOCATED ON EAST EDGE OF NING MING. REF  67RTS UPIR 16036.  OB- TNE.  NING MING RR BRIDGE OVER MING CHIAFG 220901N1070233E  PAGE 5RUAUAR 152A S E C R E T  CH UTM YK103507 GOOD 00PCT  FOR BEST FRAME. DECK, CONCRETE/STEEL, 7 SPAN, 640 FT X		[위기 : [ - [ - [ - [ - [ - [ - [ - [ - [ - [	
FOR BEST FRAME. DECK, CONCRETE AND WOOD, NR SPANS UNK,  APRX 900 FT X 2 LANES. LOCATED ON EAST EDGE OF NING MING. REF  67RTS UPIR 16036.  OB- TNE.  NING MING RR BRIDGE OVER MING CHIAFG 220901N1070233E  PAGE 5RUAUAR 152A S E C R E T  CH UTM YK103507 GOOD 00PCT  FOR BEST FRAME. DECK, CONCRETE/STEEL, 7 SPAN, 640 FT X	141146	<u> ^                                   </u>	
APRX 900 FT X 2 LANES. LOCATED ON EAST EDGE OF NING MING. REF 67RTS UPIR 16036.  OB- TNE.  NING MING RR BRIDGE OVER MING CHIAFG 220901N1070233E  PAGE 5RUAUAR 152A S E C R E T  CH UTM YK103507 GOOD 00PCT  FOR BEST FRAME. DECK, CONCRETE/STEEL, 7 SPAN, 640 FT X			
APRX 900 FT X 2 LANES. LOCATED ON EAST EDGE OF NING MING. REF 67RTS UPIR 16036.  OB- TNE.  NING MING RR BRIDGE OVER MING CHIAFG 220901N1070233E  PAGE 5RUAUAR 152A S E C R E T  CH UTM YK103507 GOOD 00PCT  FOR BEST FRAME. DECK, CONCRETE/STEEL, 7 SPAN, 640 FT X	`. <u> </u>	FOR BEST ERAME DECK CONCRETE AND WOOD NO SPANS HANK	
67RTS UPIR 16036.  OB- TNE.  NING MING RR BRIDGE OVER MING CHIAFG 220901N1070233E  PAGE 5RUAUAR 152A S E C R E T  CH UTM YK103507 GOOD 00PCT  FOR BEST FRAME. DECK, CONCRETE/STEEL, 7 SPAN, 640 FT X	\	이 이 이 이 유민이는 하는데 하는데 하셨다면서 이 사람이 하는데 됐다.	
OB- TNE.  NING MING RR BRIDGE OVER MING CHIAFG 220901N1070233E  PAGE 5RUAUAR 152A S E C R E T  CH UTM YK103507 GOOD 00PCT  FOR BEST FRAME. DECK, CONCRETE/STEEL, 7 SPAN, 640 FT X			
NING MING RR BRIDGE OVER MING CHIAFG 220901N1070233E  PAGE 5RUAUAR 152A S E C R E T  CH UTM YK103507 GOOD 00PCT  FOR BEST FRAME. DECK, CONCRETE/STEEL, 7 SPAN, 640 FT X	100		
PAGE 5RUAUAR 152A S E C R E T  CH UTM YK103507 GOOD 00PCT  FOR BEST FRAME. DECK, CONCRETE/STEEL, 7 SPAN, 640 FT X			
CH UTM YK103507 GOOD 00PCT  FOR BEST FRAME. DECK, CONCRETE/STEEL, 7 SPAN, 640 FT X	NINC	MING RR BRIDGE OVER MING CHIAFG 220901N1070233E	
FOR BEST FRAME. DECK, CONCRETE/STEEL, 7 SPAN, 640 FT X	F	AGE 5RUAUAR 152A S E C R E T	
·사 <del>용</del>		CH UTM YK103507 GOOD 00PCT	
·사 <del>용</del>			
·사 <del>용</del>		FOR BEST FRAME. DECK, CONCRETE/STEEL, 7 SPAN, 64Ø FT X	`.
	SIN	<del></del>	
	OB-N		

Approved For Release 20038123714-RDP66B00597R000400040070-1

22243ØN1Ø72Ø3ØE

CHUNG SHAF MIL AREA

	CH UTM YK412792 GOOD ØØPCT
5X1	FOR BEST FRAME. SEENTEEN MED BKS/STOR BLDGS, 2 ADMIN
e je <u>la</u> Venge	BLDGS, APRX 7 SMALL SPT BLDGS, APRX 45 VEHS. SERVED BY SECD ROAD.
	TGT AREA APRX 2500 X 1200 FT. LOCATED 1 NM SW OF CHUNG SHAN. REF
	67RTS UPIR 16039.
	DB-NONE. CDGCHUNG SHAN BKS/STOR AREA 2225 ØØN 1 Ø 7 2 1 3 ØE
	ØØPCT
5X1 [	
	FOR BEST FRAXE, SEVEN MED BKS, 9 MED STOR BDG, 4 ADMIN/
	SPT BLDGS (2 LARGE, 2 MED), APRX 9 VEHS. SERVED BY PRIM ROAD. TGT
	AREA APRX 1000 X 700 FT. LOCETED IN CHUNG SHAN. REF 67RTS UPIR
	16040.
	B-NONE.
42	<b>- Par</b> - This is the late of
G	

**SECRET** 

Approved For Release 2003/09/30 : CIA-RDP66B00597R000400040070-1